BioDOptix™

BioDOptix 4th Quarter Pricing					
Product Code Size List	Introductory Offer (Price Per Graft) Total	5 units List Total	10 units List Total	20 units List Total	30 units List Total
OX-010009 9mm Disc $275	3-for-$495 ($165 each) $450	$260 each $1,300 Total	$250 List $2,500 Total	$225 List $4,500 Total	$200 List $6,000 Total
OX-010012 12 mm Disc $545	2-for-1 ($272.50 each) $545	$460 each $2,300 Total	$380 List $3,800 Total)	$360 List $7,200 Total	$330 List $9,900 Total
OX-010015 15 mm Disc $595	2-for-1 ($297.50 each) $595	$540 each $2,700 Total	$500 List $5,000 Total	$475 List $9,500 Total	$430 List $13,200 Total
OX-010152 1.5 x 2.0 cm $575	2-for-1 ($287.50 each) $575	$540 each 2,700 Total	$500 List $5,000 Total	$475 List $9,500 Total	$430 List $13,200 Total
OX-010203 2.0 x 3.0 cm $680	2-for-1 ($340.00 each) $680	$600 each 3,000 Total	$575 List $5,750 Total	$ 545 List $10,900 Total	$475 List $14,250 Total

The most commonly used CPT code for Amniotic Membrane use **IN AN OFFICE SETTING** is:

65778

Placement of amniotic membrane on the ocular surface FOR WOUND HEALING, self-retaining*

**self-retaining means no glue or suture needed for tissue to adhere to the ocular surface*

←←← Indications for Amniotic Membrane use are listed on the back of this sheet →→→

For best results when placing BioDOptix Amniotic Membranes:

- **No prior preparation of the membrane is needed before placement.**
- **In the sterile packaging, the stromal side is visible and should be placed on the ocular surface.**
  - **(NOTE: The stromal side of the membrane appears "dull" while the epithelial appears "shiny.")**
- **Numb both eyes to help control the blink reflex.**
- **(If using a speculum, you will only need to numb the eye being treated.)**
- **Place the speculum to keep the eye open until membrane is placed OR Have an assistant hold the eye lids open.**
- **The ocular surface does not need to be soupy-wet or bone-dry.**
- **Use a speared sponge to dry the ocular surface and remove any loose epithelium.**
- **With forceps, remove membrane and place stromal side directly on the ocular surface, covering the defect.**
- **The membrane will QUICKLY rehydrate and adhere ON CONTACT with the ocular surface.**
- **Tap edges down with forceps or spear. All wrinkles and bubbles DO NOT have to be removed.**
- **You may choose to cover defect with a BCL of your choice and remove the BCL at your discretion.**
- **Standard follow up care with the patient is recommended.**
- **Antibiotics can be used with BioDOptix amniotic membranes.**
- **BioDOptix amniotic membranes do NOT have to be removed in follow up.**
- **BioDOptix amniotic membranes typically fully incorporate in 4-7 days.**

BioD LLC | 1715 Aaron Brenner Drive, Suite 204 | Memphis, TN 38120
Toll Free - 1-877-675-4149 | contact@biodllc.com | www.biodlogics.com
©2013 BioD, LLC All Rights Reserved.
Enhancing Life Through Birth and DryFlex are registered trademarks of BioD, LLC