



^{11078.}

Network Coupling & Congruency Status

Derek M. Smith¹, Thackery I. Brown², Eric H. Schumacher² ¹Northwestern University, ²Georgia Institute of Technology

• Dosenbach, N. U. F., Fair, D. A., Cohen, A. L., Schlaggar, B. L., & Petersen, S. E. (2008). A dualnetworks architecture of top-down control. Trends in Cognitive Sciences, 12(3), 99-105. • Gordon, E. M., Laumann, T. O., Adeyemo, B., Huckins, J. F., Kelley, W. M., & Petersen, S. E. (2016). Generation of a cortical area parcellation from resting-state correlations. Cerebral cortex, 26(1), 288-303.

Acknowledgements

This research was conducted with the assistance of Claire Allison.

• Dosenbach, N. U., Fair, D. A., Miezin, F. M., Cohen, A. L., Wenger, K. K., Dosenbach, R. A., Fox, M. D., Snyder, A.Z., Vincent, J.L., Raichle, M.E., & Schlaggar, B. L. (2007). Distinct brain networks for adaptive and stable task control in humans. Proceedings of the National Academy of Sciences, 104(26), 11073-







[•] Kim, S., & Cho, Y. S. (2014). Congruency sequence effect without feature integration and contingency learning. Acta Psychologica, 149, 60-68.

[•] Rissman, J., Gazzaley, A., & D'esposito, M. (2004). Measuring functional connectivity during distinct stages of a cognitive task. Neuroimage, 23(2), 752-763.