



STAHL'S[®]

CAD-CUT[®] DIRECT

HEAT TRANSFER VINYL

REFERENCE GUIDE

**SHIPS SAME DAY
ORDER BY 4PM**

CAD-CUT®

Heat Transfer Vinyl

- | | | | |
|----|-----------------------|----|----------------------|
| 4 | UltraWeed™ New | 12 | Silicone Dye-Block™ |
| 6 | Thermo-FILM® | 12 | Flock II |
| 6 | Thermo-GRIP® | 13 | Hologram |
| 7 | Premium Plus™ | 13 | Chroma Bling |
| 8 | Fashion-FILM® | 14 | Hi-Vis Color Reflect |
| 9 | Glitter Flake™ | 14 | 3M™ Scotchlite™ 5807 |
| 10 | Patterns | 15 | Reflective II |
| 11 | Foil | 15 | Glow |
| 11 | Adhesive | | |

CAD-COLOR®

Printable Heat Transfer Vinyl

- 17 Soft Opaque
- 17 Glitter
- 18 Express Print®
- 18 SuperTEK® Sublistop™
- 19 SuperTEK® Opaque
- 19 SuperTEK® Clear (Gloss/Matte)
- 20 Solutions® Mask
- 20 Low Tack Magic Mask®
- 20 Medium Tack Magic Mask®
- 20 High Tack Magic Mask®



SCAN WITH YOUR
PHONE'S CAMERA

ORDER WITH CONFIDENCE

STAHL'S® QUICK SHIP PROGRAM



We created the Quick Ship program with your business in mind. Our most popular products are guaranteed in stock at all STAHL'S® distribution centers, so you'll have your orders in hand in 1-2 days. **Quick Ship materials are identified with this icon.**

\$5 FLAT RATE GROUND SHIPPING



Program Details:


- U.S. customers only. Excludes Alaska, Hawaii, U.S. Territories, and customers with special pricing;
- Shipment must contain only CAD-CUT® and/or CAD-COLOR® materials;
- Applies to orders shipping ground via UPS, FedEx, and OnTrac;
- Shipment subtotal, before trade discount, must be less than \$2,500.00.

COUNT ON CAD-CUT[®]

HEAT TRANSFER VINYL

With an extensive selection of colors, textures, and finishes, STAHL'S[®] offers an advanced line of roll goods for every job, fabric, garment, or textile. From basic cotton to performance nylon and beyond, there's an easy-to-use material for nearly any item.

For up-to-date material colors, Pantone[®] references, application instructions, and cutting specs, visit stahls.com.



DESIGN



CUT



WEED



HEAT APPLY

CAD-CUT® ULTRAWEED™

Your go-to material for everyday projects



Introducing CAD-CUT® UltraWeed™, the perfect heat transfer vinyl for everyday projects. With smooth cutting on any vinyl cutter, effortless weeding, and a low application temp, STAHL'S® guarantees CAD-CUT® UltraWeed™ will give you the ultimate, worry-free experience from start to finish.

**ONLY FROM STAHL'S® AND
ALWAYS MADE IN THE USA.**

- ★ Frustration free cutting
- ★ Effortless weeding
- ★ Scorch-free application
- ★ Matte finish & soft feel
- ★ Perfect for everyday projects
- ★ Made in the USA

New

White	11-4607 TPG	Gray	4876 UP	Black	19-4305 TCX	Maize	7408 CP
Orange	P 37-8C	Bright Red	1795 C	Red	10417 C	Cardinal	19-1657 TPG
Pink	P73-2 C	Medium Pink	P 71-4 C	Dark Pink	7432 XGC	Lilac	264 XGC
Amethyst	2715 CP	Ultra Violet	P 92-7 U	Carolina Blue	2141 XGC	Light Blue	3577 C
Columbia	285 UP	Cyan	3538 UP	Light Navy	19-4117 CX	Bahama Blue	311 CP
Mint Blue	3242 XGC	Shark Teal	18-4930 TCX	Lime	2291 CP	Greenery	P 158-6 U
Apple Green	7490 C	Cream	2015 CP	Medium Brown	19-1215 TPG	Metallic Black	P 173-15 U
Metallic Gold	P 15-13 C	Metallic Silver	15-4101 TCX				

stahls.com/ultraweed

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	9.99	33.50	62.00	149.75	274.50



Time: 12 seconds
Temperature: *260-300°F
Pressure: Medium
Peel: Hot



Cotton
 Polyester
 Cotton/Poly Blends
 Lycra®/Spandex

**280-300°F if garment contains 50% or more cotton*

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	10	0	25-50 cm/s
Roland	45°	90g	.25	25-50 cm/s



CAD-CUT[®] THERMO-FILM[®]

#1 choice for contact sports uniforms

White	Pantone White	Gray	7539 C	Charcoal	Cool Gray 11 C	Black	Pantone Black
Maize	115 U	Gold	137 C	Old Gold	1395 C	Orange	172 C
Texas Orange	7586 C	Hero Red	18-1763 TPG	Red	186 C	Cardinal	201 C
Maroon	7645 C	Pink	203 C	Purple	7671 C	Columbia	7682 C
Hero Blue	18-4244 TPG	Royal	7686 C	Navy	5395 M	Shark Teal	7717 C
Kelly	349 C	Dark Green	553 C	Brown	Black 4 C	Metallic Silver	Silver C 10077
Vegas Gold	10124 C						

stahls.com/thermo-film

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	10.50	42.00	80.00	193.00	362.75
20"	13.30	56.25	106.75	249.25	475.75



Time: 6-8 seconds
Temperature: 330°F
Pressure: Medium
Peel: Hot



Cotton
Polyester
Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	19	1	50 cm/s
Roland	45°/60°	120-160g/140-170g	.25/.50	15-50 cm/s

CAD-CUT[®] THERMO-GRIP[®]

Best choice for athletic nylon garments

White	Pantone White	Gray	7539 C	Black	Pantone Black	Gold	137 C
Orange	172 C	Red	186 C	Maroon	7645 C	Purple	7671 C
Royal	7686 C	Navy	5395 M	Dark Green	19-5917 TPG		

stahls.com/thermo-grip

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	13.60	57.75	108.25	255.50	487.25
20"	17.35	76.25	145.00	339.50	650.50



Time: 6-8 seconds
Temperature: 330°F
Pressure: Medium
Peel: Warm



Cotton
Polyester
Cotton/Poly Blends
Nylon Mesh
Dazzle[®]

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	19	1	50 cm/s
Roland	45°/60°	140-170g/120-170g	.25/.50	15-50 cm/s

CAD-CUT® PREMIUM PLUS™ HIGH TACK & LOW TACK

Perfect for performance wear personalization

White	11-0601 TPG	Gray	16-3850 TPG	Black	19-4004 TPG	Maize	7404 C
Gold	7409 C	Old Gold	17-0949 TPG	Orange	16-1361 TPG	Texas Orange	7566 C
Red	18-1550 TPG	Burgundy	505 C	Maroon	19-1627 TPG	Pink	13-2802 TPG
Medium Pink	507 C	Fuchsia	7425 C	Purple	2090 C	Carolina Blue	278 U
Columbia	16-4032 TPG	Cyan	17-4247 TPG	Royal	2146 C	University Blue	540 U
Navy	19-3921 TPG	Bahama Blue	631 C	Teal	17-5029 TPG	Apple Green	16-6339 TPG
Kelly	7733 C	Dark Green	19-6050 TPG	Camel	4665 U	Medium Brown	476 C
Brown	412 C	Neon Yellow	930 C	Neon Orange	804 C	Neon Pink	812 C
Neon Blue	801 U	Neon Green	802 C	Metallic Silver	Silver C	Metallic Gold	16-1133 TPG

stahls.com/premium-plus

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20" Low Tack	10.80	37.50	69.75	167.50	309.00
20" High Tack	10.80	37.50	69.75	167.50	309.00



Time: 8-12 seconds
Temperature: 280-300°F
Pressure: Medium
Peel: Low Tack - Warm
 High Tack - Hot



Cotton
 Polyester
 Cotton/Poly Blends
 Lycra®/Spandex

Cutter	Blade	Force	Offset	Speed
Graphtec (Low Tack)	45°	11	1	35 cm/s
Graphtec (High Tack)	45°	10	.30	64 cm/s
Roland	45°	60-70g	.25	25 cm/s



CAD-CUT® FASHION-FILM®

The industry's best T-shirt film

Matte White* Pantone White	Matte Gray	422 U	Matte Charcoal	430 C	Matte Black* Pantone Black		
Matte Pastel Yellow	9020 U	Matte Maize	3945 U	Matte Yellow*	115 U	Matte Athletic Gold*	137 C
Matte Orange*	Orange 021C	Matte Texas Orange	7586 C	Matte Light Coral	16-1543 TPG	Matte Coral	17-1635 TCX
Matte Bright Red	1795 C	Matte Red*	200 C	Matte Cardinal	201 C	Matte Burgundy	222 C
Matte Maroon	5185 C	Matte Light Pink	13-2802 TPX	Matte Medium Pink*	204 C	Matte Pink	214 U
Matte Lilac	15-3620 TPX	Matte Amethyst	2086 U	Matte Purple	2665 C	Matte Light Blue	P115-12 C
Matte Columbia	278 C	Matte Cyan	Process Blue	Matte Royal*	19-4037 TPG	Matte Navy*	539 C
Matte Mint Blue	3242 C	Matte Bahama Blue	2197 U	Matte Teal	P121-16 U	Matte Lime	2290 C
Matte Apple Green	360 U	Matte Kelly*	341 C	Matte Greenery	15-0343 TPG	Matte Dark Green	553 C
Matte Cream	12-0822 TPX	Matte Brown	7519 C	Neon Yellow	809 C	Neon Orange	804 C
Neon Punch	1787 C	Neon Pink*	806 C	Neon Raspberry	906 C	Neon Blue	285 C
Neon Green*	802 C	Metallic Black	19-3911 TPG	Metallic Rose	2338 U	Metallic Silver*	877 U
Vegas Gold*	467 C	Metallic Gold*	7756 U	Electric Pearl	11-1001 TPG	Electric Opal	12-6206 TPG
Electric Charcoal	10399 C	Electric Liquid Gold	7555 U	Electric Peach	489 U	Electric Atomic Orange	1535 C
Electric Copper	167 U	Electric Firecracker Red	7623 C	Electric Cranberry	202 C	Electric Cotton Candy	5165 U
Electric Magenta	233 U	Electric Grape Ice	7678 U	Electric Purple	2627 C	Electric Jet Stream Blue	654 C
Electric Indigo	19-3830 TPG	Electric Blue Frost	8260 C	Electric Teal	17-5024 TPG	Electric Sour Apple	366 C
Electric Green	7731 C	Electric Prism	7653 U	Electric Gold Prism	7502 C	*Available in 20"	

stahls.com/fashion-film

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	9.80	33.50	62.00	148.25	283.25
20"	11.85	44.00	82.50	199.75	386.25
15" Electric Colors	10.80	43.75	83.00	201.00	390.00



Time: 15 seconds
Temperature: 320°F
Pressure: Medium
Peel: Hot



Cotton*
 Polyester
 Cotton/Poly Blends
 Lycra®/Spandex

*For heat application on to cotton review application instructions online

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	10	1	35 cm/s
Roland	45°	80-90g	.25	25-50 cm/s

CAD-CUT® GLITTER FLAKE™

Ideal for cheer and spirit wear



stahls.com/glitter-flake

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
12"	n/a	34.75	n/a	n/a	305.00
19.5"	14.00	55.00	105.00	256.25	497.50



Time: 10-12 seconds
Temperature: 290-302°F
Pressure: Medium
Peel: Hot



Cotton
 Polyester
 Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	10-25	1	30 cm/s
Roland	45°/60°	200-210g/160-200g	.25/.50	50 cm/s



CAD-CUT® PATTERNS

On trend, on demand

stahls.com/cc-patterns

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20" Express Print®*	14.35	61.75	118.50	n/a



Time: 15-20 seconds
Temperature: 300°F
Pressure: Medium
Peel: Wait 5 seconds, peel warm



Cotton
 Polyester
 Cotton/Poly Blends
 Lycra®/Spandex

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	11	1	35 cm/s
Roland	Premium Carbide 45°/60°	60-70g	.25/.50	25 cm/s

20" CAD-COLOR® Glitter*	17.45	77.25	147.00	n/a
--------------------------------	-------	-------	--------	-----



Time: 12 seconds
Temperature: 302°F
Pressure: Medium
Peel: Hot



Cotton
 Polyester
 Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	16	0	40 cm/s
Roland	45°	140g	.025	30 cm/s

20" ORAJET® Sign Vinyl**	10.30	41.25	72.25	175.25
---------------------------------	-------	-------	-------	--------

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	10	0	40 cm/s
Roland	45°	70g	.35	24 cm/s

stahls.com/patterns-mask

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20" Medium Tack Magic Mask®	5.65	17.75	28.75	n/a
20" High Tack Magic Mask®	6.70	22.00	36.25	n/a
12" ORATAPE®	1.80	8.25	15.50	35.00

*Magic Mask® required


**ORATAPE® required

Rolls are 20" wide with 18" of printed surface



HEAT TRANSFER FOIL

Perfect for fashion-forward decoration



stahls.com/foil

	Yellow Gold, Bright Silver, Bright Gold	Teal, Sapphire Blue, Orange, Copper, Rose Gold, Green, Pink, Red, Amethyst, Black, Navy, Maroon, Coral, Kiwi, Light Rose	Classic Rainbow, Rainbow Silver, Leopard, Silver Pixie Dust, Silver Waterfall, Silver Champagne, Silver Cracked Ice, Scales
12" x 25' roll	7.00	7.25	12.50
12" x 200' roll	25.75	n/a	n/a



Time: 8-10 seconds
Temperature: 300°F
Pressure: Firm
Peel: Cold



Cotton
 Polyester
 Cotton/Poly Blends

CAD-CUT[®] HEAT PRESS ADHESIVE

For long-lasting foil embellishments

stahls.com/adhesive

	5 yd roll	10 yd roll	25 yd roll	50 yd roll
11.8"	23.75	40.25	87.75	170.00
20"	40.25	68.00	148.25	288.50



Time: 3-5 seconds
Temperature: 300°F
Pressure: Light
Peel: Hot



Cotton
 Polyester
 Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Roland	Premium Carbide 45°	60g	.225	20 cm/s

CAD-CUT® SILICONE DYE-BLOCK™

Eliminate dye migration today

White	11-0601 TPG	Gray	422 C	Black	19-0303 TPG	Red	19-1763 TPG
Sky Blue	298 C	Royal	18-3949 TPG	Kelly	18-6030 TPG		

stahls.com/silicone

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	18.05	80.00	152.50	368.25	710.75



Time: 10-15 seconds
Temperature: 290°F
Pressure: Medium
Peel: Cold



Sublimated Polyester
 Cotton
 Polyester
 Cotton/Poly Blends
 Uncoated Nylon

Cutter	Blade	Force	Offset	Speed
Roland	45°/60°	120/140g	.225	20 cm/s

CAD-CUT® FLOCK II

Add texture and depth to designs

White	Pantone White	Black	Pantone Black	Light Gray	425 U	Charcoal	533 C
Light Yellow	012 U	Yellow	137 U	Orange	1665 C	Bright Red	187 C
Red	18-1657 TPG	Pink	233 U	Magenta	18-2143 TPG	Bordeaux	19-1725 TPG
Purple	2695 C	Royal	3591 C	Pacific Blue	2146 C	Navy	534 C
Pale Blue	7709 C	Turquoise	2228 U	Green	349 C	Lime Green	2298 U
Brown	477 C	Beige	7506 U				

stahls.com/flock2

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	13.40	56.75	109.25	271.75	525.50



Time: 18 seconds
Temperature: 330°F
Pressure: Medium
Peel: Cold




Cotton
 Polyester
 Cotton/Poly Blends
 Sublimated Polyester

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	13	.225	20 cm/s
Roland	45°	100g	.25	20 cm/s

CAD-CUT® HOLOGRAM

Bright lights and big impact



stahls.com/hologram

	1 yd roll	5 yd roll	25 yd roll
20"	9.55	37.50	168.25



Time: 10-15 seconds
Temperature: 320°F
Pressure: Firm
Peel: Cold



Cotton
 Polyester
 Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	15	1	40 cm/s
Roland	45°/60°	90-150g/90-130g	.25/.50	20-25 cm/s

CAD-CUT® CHROMA BLING

Unique iridescent vinyl



Blue Shift

stahls.com/reflect

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	14.00	60.00	110.00	268.75	525.00



Time: 10 seconds
Temperature: 300°F
Pressure: Medium
Peel: Warm



Cotton
 Polyester
 Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	14	30	30 cm/s
Roland	45°	120g	.35	25 cm/s



CAD-CUT® HI-VIS COLOR REFLECT

Bright and vivid reflective designs

Black	2335 U	Yellow	619 U	Bronze	17-1336 TPG	Purple	18-3718 TPG
Navy	540 U	Blue	2152 C	Green	19-0309 TPG	Red	201 U
Pink	687 U						

stahls.com/hi-vis

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
24"	35.55	165.50	319.50	725.00	1,395.75



Time: 20 seconds
Temperature: 325-350°F
Pressure: Medium
Peel: Cold



Cotton
 Polyester
 Cotton/Poly Blends
 Uncoated Nylon

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	13	0	25 cm/s
Roland	45°	130-140g	.025	40 cm/s

CAD-CUT® 3M™ SCOTCHLITE™ 5807

Meets ANSI/ISEA and EN 471 standards



Silver 428 U



Scotchlite™
Reflective Material

stahls.com/5807

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
16"	22.45	101.75	194.25	448.25	849.75
24"	31.15	145.25	280.25	636.25	1,225.75



Time: 10-20 seconds
Temperature: 325-350°F
Pressure: Firm
Peel: Cold



Cotton
 Polyester
 Cotton/Poly Blends
 Nylon
 Cordura®
 Lycra®/Spandex

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12	1	50 cm/s
Roland	45°/60°	80g/100-140g	.25/.475	15-35 cm/s

CAD-CUT® REFLECTIVE II

Add reflective accents that get noticed

Silver Reflective

16-3915 TPG

stahls.com/reflect

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	13.95	59.25	108.25	260.75	484.25



Time: 10-12 seconds

Temperature: 290°F

Pressure: Medium

Peel: Hot



Cotton

Polyester

Cotton/Poly Blends

Uncoated Nylon

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12	0	30 cm/s
Roland	45°	60-90g	.25	30 cm/s

CAD-CUT® GLOW

Create glow-in-the-dark graphics

White/Lime

stahls.com/glow

	1 yd roll	5 yd roll	25 yd roll
20"	24.20	110.50	493.00



Time: 10-15 seconds

Temperature: 305°F

Pressure: Medium

Peel: Warm



Cotton

Polyester

Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	10	0	35 cm/s
Roland	45°/60°	70-110g/40-90g	.25/.50	30 cm/s

COUNT ON CAD-COLOR®

PRINTABLE HEAT TRANSFER VINYL

STAHL'S® manufactures the most advanced line of printable digital materials in the industry, so you can confidently decorate anything with full color and finely-detailed designs. With a state-of-the-art adhesive backing and soft, lightweight materials engineered to stretch, there is a printable material for use on anything — from tees and tanks, to leather jackets, umbrellas, and beyond.



DESIGN



PRINT/CUT



WEED



MASK



HEAT APPLY

CAD-COLOR® SOFT OPAQUE

Light and soft to the touch

stahls.com/soft-opaque

	1 yd roll	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	11.90	49.30	90.00	210.10	400.00
30"	16.15	67.10	124.70	282.00	550.00

Recommended mask: Medium Tack Magic Mask®



Time: Tack 15 seconds

Temperature: 310°F

Pressure: Medium

Peel: Hot



Cotton

Polyester

Cotton/Poly Blends

Lycra®/Spandex

Cutter	Blade	Force	Offset	Speed
Roland	45°	50g	.25	30 cm/s

CAD-COLOR® GLITTER

Print full color bling designs

stahls.com/printable-glitter

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20"	15.00	64.50	121.25	289.75

Recommended mask: High Tack Magic Mask®



Time: 12 seconds

Temperature: 302°F

Pressure: Medium

Peel: Hot



Cotton

Polyester

Cotton/Poly Blends

Cutter	Blade	Force	Offset	Speed
Roland	45°	160g	.25	20 cm/s

CAD-COLOR EXPRESS PRINT®

The most popular printable media

stahls.com/express-print

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20"	10.25	38.75	74.75	180.25
30"	16.25	62.25	118.25	274.25
54"	33.75	124.25	236.50	548.50

Recommended mask: Medium Tack Magic Mask®



Time:
15-20 seconds

Temperature:
300°F

Pressure: Medium

Peel:
Wait 5 seconds,
peel warm

Polypropylene only:

Time:
15 seconds

Temperature:
250°F

Pressure: Medium

Peel: Hot



Cotton
Polyester
Cotton/Poly
Blends
Lycra®/Spandex
Polypropylene

Cutter	Blade	Force	Offset	Speed
Roland	45°/60°	70-80g	.225	50 cm/s

SUPERTEK® SUBLISTOP™

Inhibits dye migration

stahls.com/tek-sublistop

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20"	15.50	74.75	140.75	334.00
40"	n/a	n/a	n/a	668.00

Recommended mask: Solutions® Mask



Time: Tack 5 seconds

Temperature: 280-300°F

Pressure: Medium

Peel: Warm, cover
and seal 5 seconds



Cotton
Polyester
Cotton/Poly Blends
Lycra®/Spandex
Nylon
Cordura®
Leather
Neoprene

Cutter	Blade	Force	Offset	Speed
Roland	45°	80-90g	.25	30 cm/s



SUPERTEK® OPAQUE



Stunning full color designs

stahls.com/tek-opaque

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20"	12.00	52.75	99.50	230.50
40"	n/a	n/a	n/a	461.00

Recommended mask: Solutions® Mask



Time: Tack 5 seconds
Temperature: 280-300°F
Pressure: Medium
Peel: Warm, cover and seal 5 seconds



Cotton
 Polyester
 Cotton/Poly Blends
 Lycra®/Spandex
 Nylon
 Cordura®
 Leather
 Neoprene

Cutter	Blade	Force	Offset	Speed
Roland	45°	80-90g	.25	30 cm/s

SUPERTEK® GLOSS/MATTE CLEAR

Superior gloss or matte finishes

stahls.com/tek-gloss | stahls.com/tek-matte

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20"	12.00	52.75	99.50	230.50

Recommended mask: Solutions® Mask



Time: Tack 5 seconds
Temperature: 280-300°F
Pressure: Medium
Peel: Cold, cover and seal 5 seconds



Cotton
 Polyester
 Cotton/Poly Blends
 Lycra®/Spandex
 Nylon

Cutter	Blade	Force	Offset	Speed
Roland	45°	80-90g	.25	30 cm/s



HEAT TRANSFER MASKS

Choose the right tack

SOLUTIONS® MASK

For use with TEK™ printable materials



stahls.com/solutions-mask

	10M	20M	25 yd roll
23"	54.25	102.00	n/a
40"	n/a	n/a	202.75

LOW TACK MAGIC MASK®

For use with thick, non-stretch, printable materials

stahls.com/magic-mask

	10 yd roll	25 yd roll
15"	35.50	83.75
20"	32.75	75.75
30"	68.00	158.50

MEDIUM TACK MAGIC MASK®

For use with Express Print®



stahls.com/magic-mask-medium

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
15"	n/a	n/a	21.75	50.25
20"	5.75	17.75	28.75	66.75
30"	n/a	n/a	43.25	100.25

HIGH TACK MAGIC MASK®

For use as a sturdy carrier for thick fabrics like Poly-TWILL™



stahls.com/magic-mask-high

	1 yd roll	5 yd roll	10 yd roll	25 yd roll
20"	6.75	22.00	36.25	83.75

HEAT PRINT TECHNOLOGY EDUCATION

ANY WAY YOU WANT

STAHL'S® is the leader in all things Heat Print Technology with educational resources unmatched in the industry. Listen, watch, or learn hands-on with the experts in the format that's right for you — at home, work, or on the go. We've got options.



HEAT PRINT TECHNOLOGY - ON DEMAND

Watch while you heat press or listen on your daily commute. Our large library of video content and regular podcast episodes are at your fingertips to listen and learn on your own time.

- ▶ Podcast – Heat Press for Profit
- ▶ YouTube – STAHL'S' TV

HEAT PRINT TECHNOLOGY - ON THE ROAD

Our team of Heat Printing Experts like two things: sharing their years of heat printing experience and meeting our customers. Join them for an educational session at one of our locations, on the road in your neighborhood, and at various tradeshows around the country.

- ▶ Trade Shows
- ▶ Roadshow Learning Sessions
- ▶ Workshop Wednesdays & Workshop Weekends

HEAT PRINT TECHNOLOGY - LIVE!


Join us in your pajamas from your living room or join us from your workspace to learn tips and tricks to keep your heat printing business up-to-date with everything from marketing tips and new design ideas to the latest product launches.

- ▶ FB Live
- ▶ Webinars

QUALITY & VALUE

DELIVERED DIRECT

Apparel decorators trust STAHL'S® – the inventor and #1 manufacturer of CAD-CUT® Heat Transfer Vinyl – for all their decoration needs. As the manufacturer, we control the quality of each product we offer. Our lab-certified materials meet or exceed industry standards, including durability, adhesion, color fastness, and CPSIA compliance. Because you're buying direct from the manufacturer, you can be confident you're getting the best product at the best price.



1 DAY

2 DAY

3 DAY



stahls.com | 800.478.2457