



Product Guide

See What You've Been Missing[®]

Visual Function Diagnostics

EyeKinetix[®]

[LEARN MORE >](#)

Objective RAPD Pupillography

- Objective & detailed
- Easy on staff & patients
- Confidently delegate pupil testing for every comprehensive exam
- AAO Preferred Practice Pattern[®] for POAG/Suspect. Pupil exam recommended




objectiveFIELD[®]

[LEARN MORE >](#)

Objective Perimetry

- No patient response button, no eye patch
- Staff & patient friendly
- Less than 1% invalid test repeat rate¹
- Both eyes tested at the same time in ~ 7 minutes
- 30°, 24°, & Macular tests
- CPT Code 92083²



Visual Function Diagnostics

ColorDx[®] CCT HD[®]

[LEARN MORE >](#)

Gold Standard Color Vision Diagnostics

- Cone-isolation contrast sensitivity
- Low contrast sensitivity
- Clinical applications*: DR^{3,4,5}, AMD^{3,6,7}, glaucoma^{8,9}, & optic neuropathies¹⁰
- Tablet version also available
- CPT Code 92283



U.S. AIR FORCE

Developed in collaboration with the U.S. Air Force School of Aerospace Medicine OBVA (Operational Based Vision Assessment) laboratory under CRADA (Cooperative Research and Development Act of 1984).

Visual Function Diagnostics

RETeval[®]

[LEARN MORE >](#)

Hand-Held Full-Field ERG

- The only FDA 510(k) cleared *non-mydrriatic* ffERG device
- Easy to use almost anywhere
- Staff & patient friendly
- Clinical applications*: DR^{11,12}, CRVO¹³, glaucoma^{14,15}, acquired & inherited retinal diseases^{16,17}, pediatric nystagmus¹⁸
- CPT Code 92273



EvokeDx[®]

[LEARN MORE >](#)

Visual Electrophysiology

- Patented icVEP[™] protocols, proprietary & conventional pattern VEP/ERG
- Objective, non-invasive test of visual pathway function (optics, retina, optic nerve, primary visual cortex)
- CPT Code 95930



Specular Microscopy

CellChek[®] SL

[LEARN MORE >](#)

Gold Standard Specular Microscopy

- Endothelial cell analysis with optical pachymetry
- Useful for pre/post-operative corneal assessment, following MIGS patients
- Elevate conventional & specialty contacts lens fittings; e.g. Scleral lenses
- CPT Code 92286



Interested in learning more?



(949) 576-2200



Live Chat @ KonanMedical.com



Sales@KonanMedical.com



KonanMedical.com

*Common clinical applications, not a complete list.

1. Data on file at Konan Medical.
2. <https://www.corcoranccg.com/>
3. O'Neill-Biba, M., et al. "Loss of chromatic sensitivity in AMD and diabetes: a comparative study." *Ophthalmic and Physiological Optics* 30.5 (2010): 705-716.
4. Safi, Hamid, et al. "Early detection of diabetic retinopathy." *Survey of ophthalmology* (2018).
5. Bessman, Alice N., Melissa Rockett, and Dorothy Anderle. "Blue-yellow vision deficits in patients with diabetes." *Western Journal of Medicine* 146.4 (1987): 431.
6. Vemala, Roopa, Sobha Sivaprasad, and John L. Barbur. "Detection of early loss of color vision in age-related macular degeneration—with emphasis on drusen and reticular pseudodrusen." *Investigative ophthalmology & visual science* 58.6 (2017): BIO247-BIO254.
7. Downie, Laura E., Ada S. Cheng, and Algis J. Vingrys. "Color vision deficits in intermediate age-related macular degeneration." *Optometry and Vision Science* 91.8 (2014): 932-938.
8. Bambo, Maria P., et al. "Evaluation of contrast sensitivity, chromatic vision, and reading ability in patients with primary open angle glaucoma." *Journal of ophthalmology* 2016 (2016).
9. Niwa Y, Muraki S, Naito F, Minamikawa T, Ohji M. Evaluation of acquired color vision deficiency in glaucoma using the Rabin cone contrast test. *Investigative ophthalmology & visual science*. 2014 Oct 1;55(10):6686-90.
10. Piro, Anna, et al. "Impairment of acquired color vision in multiple sclerosis: an early diagnostic sign linked to the greatness of disease." *International ophthalmology* (2018): 1-6
11. Maa et al. A novel device for accurate and efficient testing for vision-threatening diabetic retinopathy. *Journal of Diabetes and Its Complications*, 2015.
12. Fukuo et al. Screening for diabetic retinopathy using new mydriasis-free, full-field flicker ERG recording device. *Scientific Reports*, 2016.
13. Yasuda et al. Flicker electroretinograms before and after intravitreal ranibizumab injection in eyes with central retinal vein occlusion. *Acta Ophthalmologica*, 2015.
14. Wu et al. Photopic negative response obtained using a handheld electroretinogram device: determining the optimal measure and repeatability, *Translational Vision Science & Technology*, 2016.
15. Preiser et al. Photopic Negative Response versus Pattern Electroretinogram in Early Glaucoma. *Investigative Ophthalmology & Visual Science*, 2013.
16. Nakamura et al. Evaluation of cone function by a handheld non-mydratric flicker electroretinogram device. *Clinical Ophthalmology*, 2016.
17. Ullah et al. Mutations in phosphodiesterase 6 identified in familial cases of retinitis pigmentosa. *Human Genome Variation*, 2016.
18. Grace, et al. Portable non-sedated electroretinogram evaluation of children with nystagmus in the pediatric ophthalmology clinic. *Journal of AAPOS*, 2016.

Preferred Practice Pattern is a registered trademark of the American Academy of Ophthalmology.

RETeval is a registered trademark of LKC Technologies. Distributed in the USA by Konan Medical.