

# Characterizing the interaction of temporal and semantic information in categorized memory search

Rebecca A. Cutler, Jin Jeon, Sean M. Polyn Department of Psychological Sciences, Vanderbilt University



@rebeccaacutler



rebecca.a.cutler@vanderbilt.edu

## Overview

- Human memory search exhibits strong influences from temporal and semantic information.
- Free recall research has characterized these effects individually, but few studies have examined how they interact to bind together, or segment, individual events into meaningful episodes.
- Manipulating the level of inter-item distraction at study, while keeping the timing consistent, disrupts the temporal and semantic organization of recall
- With minimal distraction, items can be bound into clusters based on temporal proximity or semantic relatedness. Heavy distraction causes a disintegration of this structure and a drop in performance.
- Continual distraction mitigates the event structure of items at recall

## **Experimental Design**

## Continual distraction in categorized free recall


n=82






1 2 3 4 5 6...















response

90s to verbally recall items

from the list in any order

free recall

stimuli C: celebrity, L: landmark, O: object (Polyn et al., 2005) 27 items per list, presented visually

inter-item distraction **KEY PRESS** 

heavy

visual presentation and motor response were

identical across the two distraction conditions


9 triplets of same-category items

light distraction: vigilance task. key press when you see '?'

heavy distraction: mental arithmetic. sum of the previous integers (T/F)

length of distraction period ranged from 3-7s (mean=5s) to allow for single trial analysis

### Theory



- previous studies have found that inter-item distraction does not affect temporal organization in free recall paradigms
- Morton et al., (2013) found a 'neural integration' effect in scalp EEG data; patterns become increasingly category-specific with sequential study of samecategory items
- Adding a time-varying distraction task, Morton & Polyn (2017) then found that longer inter-item distraction disrupts this neural integration of semantic
- we manipulate the intensity, rather than the length, of distraction to characterize effects on recall organization

## Temporal dynamics of recall

## Retrieved-context theory applied to categorized FR

Context layer: constructs a temporal representation of on-going experience. Context gradually drifts over time, becoming increasingly dissimilar from current events

Hebbian learning rule: associates context and semantic space

- temporal context becomes a retrieval cue to guide search
- recalling an item reactivates the state of context at encoding this increases the likelihood of recalling neighboring items next

<u>Integration</u>: during learning, new items are pushed into the context

layer where they integrate with existing representations to create a

running average of recently studied items According to classic temporal context models (TCMs), distraction task information will be integrated into temporal context, but should not

(Howard & Kahana., 2002; Sederberg et al., 2008; Polyn et al., 2009)

1 3 5 7 9 11 13 15 17 19 21 23 25 27

serial position

poral factor score: ranks the absolut


value of actual : possible transitions.

light

heavy

scores > 0.5 indicate temporal clustering

affect the degree of temporal organization



semantic layer: perceptual features of stimuli activate conceptual representations in a preexperimental semantic space.

existing semantic knowledge interacts with event structure to bias recall based on the similarity of items

## Temporal organization is disrupted

distraction

performance decrease; fewer items are recalled when studied with heavy

- primacy effect; the first items in a list are likely to be recalled with minimal distraction, and are more vulnerable to drop out of recall with
- intensity of distraction might modify context at an accelerated rate, causing items at the start of the list to be dissimilar from context at the time of test and lose their primacy advantage


#### Contiguity

- The contiguity effect becomes weaker when items are encoded with a more demanding inter-item distraction
- TCMs propose that adjacent items are bound into a compound
- Our data show that nearby items are less likely to be clustered at recall with heavy distraction, suggesting that the inter-item task interferes with temporal binding.
- Distraction disturbs a cognitive control process that utilizes the temporal structure of a list

#### Contiguity effect: items studied near one another are more likely to be recalled together.

Serial position curve: the probability that an item is

recalled, based on it's position in the study list



#### **Event structure**


No difference in temporal factor between conditions suggests that the decrease in clustering is isolated to immediate lags

We looked to see if train structure (i.e. triplet of same-category items) was preserved in recall

- with light distraction, the probability of recalling the first train intact was ~12.5%
- train preservation reliably decreased in the first 6 items with heavy distraction train disintegration and impaired performance are concentrated at the start of the list


#### • We propose that the intense distraction task disrupts a strategic process that partitions the items into discrete events, or episodes (Zacks & Swallow., 2007)

 Lacking segmented events, studied items have less context relevant inter-associations



## **Semantic Organization**


We can model pre-experimental semantic representations in 3 ways



#### semantic vector space

We create a stimulus space populated with unique 300-d vectors, derived from Wikipedia text, that capture the features of each item (https://github.com/prestonlab/wiki2vec)


Distance metrics can characterize the similarity of items – a pairwise cosine similarity matrix of our stimuli reveals clear category boundaries (warmer colors indicate semantic




#### semantic CRP (within v between category transitions)

- participants take advantage of semantic relatedness during memory search:
- same category items are more likely to be recalled together these within-category transitions are impaired with heavy
- interestingly, items that are highly semantically related are spared this impairment and are recalled together regardless of distraction
- transitions between-category show a small, but statistically reliable, increase with heavy distraction for highly semantically similar items
- distraction disturbs temporal binding at encoding, thereby increasing the likelihood of a between category recall

## Semantic organization is disrupted





#### clustering scores

- distraction decreases semantic clustering at the <u>category</u> level and, to a lesser extent, the <u>item</u> (distributional) level
- to capture the diminished semantic structure, a model of recall with distraction should consider the interaction of category and item representations
- adding category labels to a retrieval model emphasizes category commonality, whereas unique feature vectors emphasize item

#### Conclusions

- We show that manipulating the intensity of a distraction task disrupts temporal & semantic organization
- Completing a cognitively demanding task during learning decreases recall performance, perhaps by disturbing a control mechanism that takes advantage of list structure
- Successful memory search is best characterized as an interplay between episodic and semantic information

Howard, M. W., & Kahana, M. J. (2002). A distributed representation of temporal context. Journal of Mathematical Psychology, 46(3), 269-299. Morton, N. W., Kahana, M. J., Rosenberg, E. A., Baltuch, G. H., Litt, B., Sharan, A. D., ... & Polyn, S. M. (2013). Category-specific neural oscillations predict recall organization during memory

search. Cerebral Cortex, 23(10), 2407-2422. Morton, N. W., & Polyn, S. M. (2017). Beta-band activity represents the recent past during episodic encoding. Neuroimage, 147, 692-702. Sederberg, P. B., Howard, M. W., & Kahana, M. J. (2008). A context-based theory of recency and contiguity in free recall. Psychological review, 115(4), 893. Polyn, S. M., Natu, V. S., Cohen, J. D., & Norman, K. A. (2005). Category-specific cortical activity precedes retrieval during memory search. Science, 310(5756), 1963-1966. Polyn, S. M., Norman, K. A., & Kahana, M. J. (2009). A context maintenance and retrieval model of organizational processes in free recall. Psychological review, 116(1), 129.

Zacks, J. M., & Swallow, K. M. (2007). Event segmentation. Current directions in psychological science, 16(2), 80-84. **Acknowledgements:** special thanks to Neal Morton for his consultation on experimental design, and for creating/sharing the wiki vectors: https://github.com/prestonlab/wiki2vec