


Hierarchical statistical learning: Behavioral, neuroimaging, and neural network modeling investigations


Cybelle M. Smith, Anna C. Schapiro, and Sharon L. Thompson-Schill
University of Pennsylvania, Department of Psychology

A Hierarchy of Time-Scales in the Brain

- How is sequential structure represented at different hierarchical levels in the brain?
- Combine statistical learning paradigm with neuroimaging: greater control than naturalistic video^[1] or audio^[2]
- Use finer-grained manipulations to assess cortical encoding of sensory dependencies across time^[3]





Statistical Learning Paradigm



Behavioral Experiment: Methodological Details

- N = 17, exposed to sequences over 4 sessions (~20,000 images / participant)
- 8 greyscale 'context' images, 8 colored images
- Task = warm/cool color detection (50% warm) on colored images, no button press for greyscale
- For human experiment only: context image appears exactly 4 times at start, middle, end of block, triplets immediately follow each other (for modeling, input more variable to prevent overfitting)
- 90% of blocks follow high and low level order determined by context image
- 10% of blocks follow opposite order rule (high or low level) given context
- Post-test: view a short sequence, choose which of two images comes next -- context (in)congruent
 - Low-level order: view first two images in a triplet
 - High-level order:
 - Block start: view 3x context image A, then 5x context image B
 - Block middle: view triplet (starts with context image A) followed by 5x context image A

Humans Implicitly Learn Low and High-Level Sequential Structure



Modeling Hierarchical Sequence Learning with Recurrent Neural Networks

Task: Predict next image Long-Short Term Memory (LSTM)


Fix total n recurrent units (150)

Vary number of stacked layers (1-3)

50 instances per model type



one-hot encoding of 16 images

All model architectures (1, 2, and 3 recurrent layers) learn to predict the upcoming image.



'Deep' Neural Networks Show Temporal Gradient

Deeper layers group context images based on longer time-scale order information



Conclusions

- Humans show implicit sensitivity to both low and high level sequential structure after extended learning (~20,000 images)
- Deep layers in neural network (LSTM) more sensitive to high-level structure of input, but need sufficient depth

Future directions:

- Further behavioral piloting to improve learning of low & high-level structure
- Model comparison with existing sequential learning models (e.g. HAT^[4])
- Collection of fMRI + EEG data
 - EEG during learning – implicit measures of learning low and high level structure
 - fMRI pre-post learning response to context cue images (pattern similarity)
- Comparison with auditory sequence data

References

- Hasson, U., et al., (2008). *J Neurosci*, 28(10), 2539-2550.
- Lerner, Y., Honey, C. J., Silbert, L. J., & Hasson, U. (2011). *J Neurosci*, 31(8), 2906-2915.
- Hasson, U., Chen, J., Honey, C. J. (2015). *Trends Cog Sci*, 19(6), 304-313.
- Chien, H.-Y. S. & Honey, C. J. (2020). *Neuron*, 106, 1-12.

Acknowledgements

This work was supported by NIH grant R01DC00920 awarded to S.T.S. and by NIH grant 1F32MH123002-01 awarded to C.M.S. Thank you to Elisabeth Karuza for valuable support in developing this project.